




VANCOUVERIA hexandra

Barrenwort, Inside-Out Flower

Item No.: VA033

Portion Price (sufficient for 50-100 plants)	1g Price (0.1-9.9g)	10g Price (10-99.9g)	100g Price (100-999.9g)	1000g Price (1000-9999.9g)	10000g Price (10000-99999.9g)
4,10€	8,20€	64,00€	-	-	-

Plant Description

Life Cycle	Perennial
Family	Berberidaceae
Origin	Western United States: woodland.
Special Features	Distinctive Flowers. Good groundcover, reminiscent of Epimedium. Grows well under trees. Suitable for natural landscaping. Moderate self-sowing at suitable locations. Remarkable perennial for modern garden design. Use for low maintenance plantings.
Basic Colour	(white / cream)
Flower Colour	white
Natural Flowering Period	May - July
Winter Hardiness Zones	Z5 - Z9
Foliage	evergreen, gracile, basal, ternate, slightly lobed, pale to light green
Growth Habit	stoloniferous / rhizomatous / evergreen
Height with Flowers	30 cm
Soil Requirements	moist / average
Location	
Characteristics	groundcover

Cultivation

Grams per 1000 seeds	4.44444 Gram
Seeds per Gram	225 (does not correspond to the number of plants!)
Gram to get 1000 plants	10 Gram (if sown directly into pots etc. you will need a larger quantity)

Sowing Direction

(19) To stop the germination inhibition give seeds a warm compost (about +22 °C) [about 72 °F] with constant humidity for at least 6 weeks. Then keep cold (–4 to +4 °C) [25 to 39 °F] for 6–8 weeks. Usually, the germination starts at +4 °C [39 °F]. Raise temperatures gradually up to +10 °C [50 °F] until germination is completed. If the warm or cold period was not long enough the seeds will not germinate until the following year. They will then need another warm period (summer) and a cold period (winter). Well-known examples: Cimicifuga and Helleborus.