



ACHILLEA tomentosa 'Aurea'


[Maynard's Gold]

Fuzzy Yarrow, Wooly Yarrow

Item No.: AA060

Portion Price (sufficient for 50-100 plants)	1g Price (0.1-9.9g)	10g Price (10-99.9g)	100g Price (100-999.9g)	1000g Price (1000-9999.9g)	10000g Price (10000-99999.9g)
4,00€	9,80€	78,00€	620,00€	-	-

Plant Description

Life Cycle	Perennial
Family	Asteraceae
Origin	Southern Europe
Distinction	Award of Garden Merit (A.G.M.) from the Royal Horticultural Society.
Special Features	Dainty yellow flowering heads and fuzzy grey-green foliage.
Historical	Achilles, allegedly, used leaves to help soothe his soldiers' wounds.
Basic Colour	(yellow / gold)
Flower Colour	yellow
Natural Flowering Period	June - July
Flowering	First year flowering
Winter Hardiness Zones	Z3 - Z8
Foliage	fuzzy, soft-to-the-touch, grey-green
Growth Habit	mat-forming / low-growing / wintergreen
Height with Flowers	20 cm
Spacing between Plants	30 cm
Soil Requirements	dry / well-drained / average / poor, lean
Location	
Characteristics	ornamental foliage plant
Usage	for the rock garden

Cultivation

Grams per 1000 seeds	0.16 Gram
Seeds per Gram	6250 (does not correspond to the number of plants!)



Gram to get 1000 plants	0.5 Gram (if sown directly into pots etc. you will need a larger quantity)
Sowing Rates/Trays	5 - 6 per cell
Plug tray recommended size(s)	128 / 288
Sowing Direction	(15) Rapidly germinating, keep seed in constant moisture (not wet) with temperatures of about +20°C [68°F]. Seeds must be covered thinly. Do not cover very small seeds, but tightly press into the earth. Keep in cooler conditions after germination occurs.

Scheduling

Best Sowing Date	Anytime (northern Hemisphere, Field condition)
Sowing to Germination	2 - 3 weeks
Germination to Transplant	4 - 5 weeks
Transplanting to Potting	6 - 8 weeks
Cutting back at Transplanting	Not Necessary.

Growing On

Container Size(s)	1 plug per 8/9 cm (3 1/2") / 1-2 plugs per 11/12 cm (4 1/2")
Vernalization	No vernalization required for flowering in the first year.
Forcing	Provide 16 hours of continuous lighting. During the short days of winter, provide a night interruption lighting of 4 hours between 10:00 p.m. and 2:00 a.m. 6-8 weeks to flower.
Fertilizer	Light (100-150 ppm)