




SEDUM oreganum

Oregon Stonecrop

Item No.: SA360

Portion Price (sufficient for 50-100 plants)	1g Price (0.1-9.9g)	10g Price (10-99.9g)	100g Price (100-999.9g)	1000g Price (1000-9999.9g)	10000g Price (10000-99999.9g)
4,00€	22,00€	176,00€	1.400,00€	-	-

Plant Description

Life Cycle	Perennial
Family	Crassulaceae
Origin	North West America
Special Features	Glossy evergreen foliage that turns bright red with more sun exposure. Bright yellow flowers play well off the colorful succulent foliage. Perfect for use in a knot garden where colorful compact foliage is a necessity. A sunny site is best for foliage color.
Basic Colour	(yellow / gold)
Flower Colour	yellow
Natural Flowering Period	June - August
Winter Hardiness Zones	Z5 - Z8
Foliage	succulent, tight rosettes sporting vivid color
Growth Habit	cushion-forming / mat-forming / low-growing
Height with Flowers	5 cm
Spacing between Plants	60 cm
Soil Requirements	dry / well-drained
Location	
Characteristics	ornamental foliage plant / groundcover
Usage	for the rock garden

Cultivation

Grams per 1000 seeds	0.04167 Gram
Seeds per Gram	24000 (does not correspond to the number of plants!)



Gram to get 1000 plants	0.5 Gram (if sown directly into pots etc. you will need a larger quantity)
Sowing Rates/Trays	20 per cell
Plug tray recommended size(s)	128 / 288
Sowing Direction	(4) These are very tiny seeds which should be mixed with finest sand or talcum for an even sowing. Do not cover with compost, only press them in gently. Irrigate from the bottom or with a hand-sprayer, so that the seeds will not be washed away. (8) These perennial seeds germinate very irregularly over a long period. Lower temperatures of less than +5 °C [41 °F] are very effective. Seed trays should not be discarded prematurely. Constant moisture must be maintained. Do not leave in direct sunlight. For Alstroemeria we recommend to keep sowing for 3 weeks at approximately +30 °C [86 °F], then 3 weeks at +5 °C [41 °F], then at +21 °C [70 °F].

Scheduling

Best Sowing Date	Anytime (northern Hemisphere, Field condition)
Sowing to Germination	2 - 3 weeks
Germination to Transplant	4 - 6 weeks
Transplanting to Potting	6 - 10 weeks
Cutting back at Transplanting	Not Necessary.

Growing On

Container Size(s)	1 plug per 8/9 cm (3 1/2") / 1-2 plugs per 11/12 cm (4 1/2")
Vernalization	A prudent recommendation would be to provide 6-12 weeks at an average daily temperature of 40 °F (5 °C). Exposure to cold may not be necessary for flowering but might improve quality.
Forcing	An obvious place to experiment - following vernalization - would be raising daytime temperatures to 60° - 65 °F (15° - 17 °C). Provide 16 hours of continuous lighting. During the short days of winter, provide a night interruption lighting of 4 hours between 10:00 p.m. and 2:00 a.m.
Fertilizer	Light (100-150 ppm)